



“ For over a decade Coolspirit have been supplying the UK’s top organisations with storage products and solutions so be assured we will meet your requirements head on.

It’s all about getting things right first time, quickly and simply! ”

Damon Robertson
Coolspirit Ltd

Our address

24 The Bridge Business Centre
Beresford Way
Chesterfield
S41 9FG

Get in touch

Call us on: 01246 454222
Email us: web@coolspirit.co.uk
Find us: [View location map](#)
Web: www.coolspirit.co.uk

Office hours

mon - thurs 8:30am - 5:30pm
fri 8:30am - 5pm
sat - sun Closed

“ Boost your storage buying power...
use ours! ”

Buy with confidence from
Coolspirit your authorised
Equallogic Partner



EQUALLOGIC PS SERIES



DYNAMIC VIRTUAL STORAGE



SIMPLIFYING IT

The Dell™ EqualLogic™ PS Series is fundamentally changing the way enterprises think about purchasing and managing storage.

Built on breakthrough virtualized peer storage architecture, the EqualLogic PS Series simplifies the deployment and administration of consolidated storage environments.

Its all-inclusive feature set streamlines purchasing. Its intelligent software delivers rapid SAN deployment, easy storage management and comprehensive data protection. The system's dynamic virtualization enables enterprise-class performance and reliability and seamless pay-as-you-grow expansion.

This simplicity yields important benefits: success and satisfaction for our users, which is supported by the fact that

98%
of our customers
would recommend
the PS Series¹.

¹Source: Yankee Group, EqualLogic Customer Satisfaction Survey, March 2009.

²Source: "Dell EqualLogic TCO Analysis", July 2009, The Enterprise Strategy Group, Inc.

THE DELL DIFFERENCE

EASE OF USE

- Intelligent, automated management helps minimize tedious administrative tasks
- From box to operating SAN in minutes

ENTERPRISE PERFORMANCE

- Exceptional performance for both sequential and transactional applications with linear scalability as arrays are added
- Automated, real-time load balancing across drives, RAID sets, connections, cache and controllers for optimized performance and resource utilization
- Pooling capability enables appropriate service levels for individual applications

RELIABILITY

- Fault tolerant, fully redundant dual controller design for no single point of failure
- Designed for 99.999% availability
- Enterprise-class RAID protection
- Hot swappable components

SCALABILITY

- Modular design allows growth when needed
- Online expansion without affecting data availability
- Linear scalability — scale capacity and performance together
- Manage a growing pool of storage from one single user interface

AFFORDABILITY

- All-inclusive enterprise features and functionality with no additional software licenses to purchase
- Easy connection via iSCSI
- Automated features help to eliminate highly specialized administrative costs
- Adopt 10GbE and run both 1GbE and 10GbE in the same environment without de-valuing legacy equipment
- EqualLogic SANs have the lowest TCO of common storage array architectures—fully 1/3 to 1/2 the total cost of competitors over a five year period²

ENTERPRISE EFFICIENCY

- Addition of 10GbE supports high-performance, high-bandwidth applications such as data warehouses and streaming media
- Maximize your IT investments with an end-to-end unified fabric data center encompassing servers, EqualLogic storage and Networking
- Enterprise level virtualized storage that matches virtualized server environments

THE EQUALLOGIC PS SERIES ISCSI SANS

The Dell EqualLogic PS Series is a family of virtualized iSCSI storage arrays that combine intelligence and automation with fault tolerance to provide simplified administration, rapid deployment, enterprise performance and reliability, and seamless scalability. The PS Series high performance storage arrays deliver a range of capacity points from 400 GB to 48 TB in either a 3U or 4U chassis. PS Series arrays can be combined to create a virtualized SAN that scales up to 768 TB under a single management interface.

EXCEPTIONAL EASE OF USE

The PS Series intelligent storage arrays are designed to provide rapid deployment, simple management and seamless expansion. All PS Series storage arrays include SAN configuration features and capabilities that sense network topology, automatically build RAID sets, and conduct system health checks to help ensure that all components are fully functional. PS Series arrays are designed to be deployed, configured, and serving storage in less than one hour.

MODULAR DESIGN WITH ENTERPRISE RELIABILITY

EqualLogic PS Series arrays are based on a virtualized, modular storage architecture that enables IT managers to purchase only the storage they need, when they need it — preventing both underutilization and over-provisioning. Using innovative data movement technology, all EqualLogic PS Series arrays in a SAN work together to automatically manage data, load balance across all resources, and expand to meet growing storage needs.

The Dell EqualLogic PS Series is designed to meet and exceed the rugged requirements of the data center. Each array comes standard with fault tolerance capabilities through fully redundant and hot-swappable components — dual-controllers, multiple fan trays and power supplies, and disk drives with hot spares.

ENTERPRISE DATA SERVICES WITHOUT ADDITIONAL COST

The PS Series has built-in storage features once relegated to top-tier data centers, enabling best practice storage for every size organization. Unlike traditional storage arrays, the EqualLogic PS Series arrays include a comprehensive set of enterprise data services and software features with no additional software licensing fees.

FLEXIBILITY WITH LOW COST OF OWNERSHIP

EqualLogic PS Series arrays represent a breakthrough in storage economics, from purchase and setup to operation and upgrades. In addition to the extensive included software, the PS Series scales easily, on-demand — and online — allowing storage growth without costly application disruptions or lengthy service engagements. As a result, EqualLogic arrays provide exceptional flexibility at a low total cost of ownership.

Whether consolidating direct-attached storage (DAS), migrating from an existing SAN or NAS system, improving data protection, or simply adding capacity, the EqualLogic PS Series deploys flexibly to address enterprise storage needs. As business needs change, an EqualLogic SAN can easily adapt. Its virtualized architecture allows simple redeployment of arrays, tiered storage, thin provisioning, online volume movement and much more, all without extra cost and cumbersome processes.

“THE DELL EQUALLOGIC SAN WAS EASY TO DEPLOY, AND IT OFFERS AN INTUITIVE INTERFACE FOR ONGOING MANAGEMENT.... WE CAN EXPAND ITS CAPACITY RAPIDLY. IF WE ADD A NEW ARRAY, THE CONTROLLER WILL INCORPORATE THAT STORAGE INTO THE SAN SEAMLESSLY”

Shervan Torabi, IT manager, Citizant
May 2009

PS SERIES ISCSI STORAGE ARRAYS

PS6000 SERIES: VIRTUALIZED ARRAYS DESIGNED FOR THE ENTERPRISE DATA CENTER
PS4000 SERIES: VIRTUALIZED ARRAYS DESIGNED FOR BRANCH OFFICE AND SMB NEEDS

	PS6000E	PS6500E	PS6000X	PS6000XV	PS6000S	PS6010E	PS6010S	PS6010X	PS6010XV	PS6510E	PS4000E	PS4000X	PS4000XV
ARRAY CAPACITY	2, 4, 8 or 16 TB	24 or 48 TB	6.4, 7.2 or 9.6 TB	4.8, 7.2 or 9.6 TB	400, 800 GB or 1.6 TB	4, 8, or 16 TB	800 GB or 1.6 TB	4.8 or 9.6 TB	4.8 or 9.6 TB	48 TB	2, 4, 8 or 16 TB	6.4, 7.2, or 9.6 TB	4.8, 7.2 or 9.6 TB
DISK DRIVES	8 or 16 – 7200 RPM SATA Drives	48 – 7,200 RPM SATA Drives	16 – 10,000 RPM SAS Drives	16 – 15,000 RPM SAS Drives	8 or 16 Solid State Disk (SSD) Drives	8 or 16 – 7200 RPM SATA Drives	8 or 16 – 10,000 RPM SAS Drives	8 or 16 – 15,000 RPM SAS Drives	8 or 16 – 15,000 RPM SAS Drives	48 – 7,200 RPM SATA Drives	8 or 16 – 7200 RPM SATA Drives	16 – 10,000 RPM SAS Drives	16 – 15,000 RPM SAS Drives
DRIVE CAPACITIES	250 GB, 500 GB or 1 TB	500 GB or 1 TB	400 GB, 450 GB or 600 GB	300 GB, 450 GB or 600 GB	50 or 100 GB	500 GB, 1 TB	100 GB	600 GB	600 GB	1 TB	250 GB, 500 GB or 1 TB	400 GB, 450 GB or 600 GB	300 GB, 450 GB or 600 GB

FULL HARDWARE REDUNDANCY
 Hot-swappable controllers, fans, power supplies, disks

Yes

NETWORK CONNECTIVITY	4 Ethernet/iSCSI Ports per Controller		2 controllers/array; Two 10 Gb Ethernet/iSCSI Ports per Controller			
CHASSIS	3U	4U	3U	3U	3U	4U
MEMORY	4 GB	4 GB	4 GB	4 GB	4 GB	4 GB
MAXIMUM NUMBER OF ARRAYS PER PS SERIES PER PS	16 PS Series arrays, including up to 2 PS4000 arrays					
ENTERPRISE DATA SERVICES	2 Ethernet/iSCSI ports per Controller for I/O; 1 Ethernet port for management					

Yes, all inclusive with no separate licenses on all PS Series arrays (see below)

ENTERPRISE DATA SERVICES

DATA PROTECTION, AVAILABILITY & RECOVERY	Auto-Replication, Multi-Way Instant Volume Restore Multi-Path I/O Multi-Volume, Writeable Snapshots Snapshot and Auto-Replication Scheduler Volume Cloning Volume Consistency Sets
STORAGE VIRTUALIZATION	Array Evacuation Automatic Load Balancing Automatic or Manual Storage Tiering Complete SAN Virtualization Online Data and Volume Movement RAID Load Balancing Storage Pools Thin Provisioning
SERVER MANAGEMENT & PROTECTION INTEGRATION	Auto-Snapshot Manager/Microsoft® Edition ¹ Auto-Snapshot Manager/VMware® Edition ¹ Automatic MPIO Connection Management Microsoft® VSS and VDS Providers Smart Copy for Microsoft® Hyper-V™, Exchange®, SQL Server®, Windows® File Systems and VMware® VMFS VMware® Site Recovery Manager Adapter
MANAGEMENT	PS Group Manager SAN HeadQuarters Multi-Group Monitoring Rapid Provisioning Remote Setup Wizard Roles-Based Administration Volume Management
MAINTENANCE	Auto-Stat Disk Monitoring System E-mail Home Enclosure Monitoring System Detailed Historical Performance Monitoring

¹Qualified for Microsoft® Windows Server® 2003, Windows Server® 2008, including Hyper-V, Windows Server® 2008 R2, including Hyper-V, VMware®, Linux® and Sun™ Solaris™ Operating Systems
²Qualified for Microsoft® Windows Server® 2003, Windows Server® 2008, including Hyper-V™ and Windows Server® 2008 R2 including Hyper-V™
³Qualified for VMware® ESX 3.5, ESXi 3.5, ESX 3 and ESX 4



SIMPLIFY YOUR STORAGE AT WWW.DELL.COM/PSseries